

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1-18. (Canceled)

19. (Previously Presented) A method for presenting route information in a vehicle, wherein a screen of a route information system such as a navigation system is arranged in said vehicle, preferably in a peripheral visual field of a driver of the vehicle, wherein, on said screen, at least one of a topographical image and graphical representation of a route is presented, wherein, simultaneously, a pattern of relatively dark and relatively bright sections is moved over said screen in a direction P which is recommended to the driver of the vehicle, said pattern presented with a contrast which is lower than the contrast of at least one of said topographical image and graphical representation of said route.

20. (Previously Presented) The method according to claim 19, wherein the contrast of said pattern is less than 50% of the contrast of at least one of said topographical image and graphical representation of said route, preferably less than 25%, more particularly less than 20%.

21. (Previously Presented) A method for presenting route information in a vehicle, wherein a screen of a route information system such as a navigation system is arranged in said vehicle, preferably in a peripheral visual field of a driver of the vehicle, wherein, on said screen, at least one of a topographical image and graphical representation of a route is presented, wherein, simultaneously, a pattern of relatively dark and relatively bright sections is moved over said screen in a direction P which is recommended to the driver of the vehicle, wherein said pattern is presented in grays and at least one of said topographical image and graphical representation of said route is presented in color.

22. (Previously Presented) An apparatus for indicating information on a screen, comprising at least one screen and image information-generating means, wherein the image information-generating means at least comprise an algorithm for displaying, on said screen, at least a first image in the form of a moving pattern of first and second sections, wherein the first sections are relatively bright compared to the second sections, wherein the screen has longitudinal edges and said image information-generating means are preferably arranged for at least temporarily moving said pattern in the direction of at least one of the longitudinal edges, wherein the image information-generating means are further arranged for displaying, on said screen, further information in the form of a second image, over said first image, wherein the contrast of said first image is lower than the contrast of said second image, in particular more than 50% lower, more in particular more than 75% lower and preferably more than 80% lower.

23. (Previously Presented) An apparatus for indicating information on a screen, comprising at least one screen and image information-generating means, wherein the image information-generating means at least comprise an algorithm for displaying, on said screen, at least a first image in the form of a moving pattern of first and second sections, wherein the first sections are relatively bright compared to the second sections, wherein the screen has longitudinal edges and said image information-generating means are preferably arranged for at least temporarily moving said pattern in the direction of at least one of the longitudinal edges, wherein the image information-generating means are further arranged for displaying, on said screen, further information in the form of a second image, over said first image, wherein the contrast of the first image is adjustable independently of the second image.

24. (Previously Presented) An apparatus for indicating information on a screen, comprising at least one screen and image information-generating means, wherein the image information-generating means at least comprise an algorithm for displaying, on said screen, at least a first image in the form of a moving pattern of first and second sections, wherein the first sections are relatively bright compared to the second sections, wherein the screen has longitudinal edges and said image information-generating means are preferably

arranged for at least temporarily moving said pattern in the direction of at least one of the longitudinal edges, wherein the first image is displayed in grays, at least is built up from substantially monochrome sections.

25. (Canceled).